

ການບົນລາວ  
Lao Airlines

# Champa Meuanglao

Official Lao Airlines Inflight Magazine

ຈຳປາເມືອງລາວ

ລາວ  
ຫ່ວັດລາວ  
LAO THIAO LAO

4000 ISLANDS

Visit Laos' southernmost point

FORECASTING SUCCESS

Laos Climate Service for Agriculture

*Wonders*  
OF THE  
ANNAMITE  
MOUNTAINS

MARCH / APRIL 2021

COMPLIMENTARY COPY

# Wonders OF THE ANNAMITE MOUNTAINS

Discover the amazing wildlife  
that Laos has to offer

TEXT BY DR. CAMILLE COUDRAT

PHOTOGRAPHS BY ASSOCIATION ANOULAK /  
NAKAI-NAM'THEUN NATIONAL PARK

Red-shanked Douc  
(*Pygathrix nemaeus*)  
photographed in its  
natural habitat

The Annamite Mountains, which extend from northern Vietnam along the border area with Laos and south into the border between Laos, Vietnam, and Cambodia, is one of the richest regions of the world in terms of its fauna, flora, landscape, and cultural diversity. In Laos, the Annamite Mountains lie to the east of the Mekong River, along the Lao-Vietnam border, from the province of Bolikhamsay in central Laos to the Attapeu in the south. It encompasses landscapes as varied and impressive as karst formations, dense mountainous dry and moist evergreen forests, and coniferous forests.

All these habitats are particularly well-represented in Khammouan Province and particularly in the Nakai-Nam Theun National Park, the Hin Namno National Park, and the Phou Hinpoun National Protected Area where several eco-tourism tours are offered. Indeed, Khammouan is a famous tourist destination for Lao nationals as well as foreign visitors in search of outdoor adventures, discoveries, and breathtaking scenery.

The Annamite Mountains hold an extraordinary diversity of animal species that are found nowhere else on earth. These species are difficult to observe in the wild and therefore are not well known to the public. But they are highly threatened by extinction; indeed, all the species found in the Annamite Mountains are hunted out from forests due to the high demand for the illegal national and international wildlife trade, destined to bushmeat, traditional medicine, pets, or status symbol trophies. Therefore, they deserve to be put in the spotlight for their singular beauty and intrinsic value: they represent the natural heritage of Laos.

The Red-shanked Douc (*Pygathrix nemaeus*) is a monkey species often referred to as one of the most beautiful in the world due to its bright colors. The species only occurs in the Annamite Mountains and its largest population is found in Laos.


The White-cheeked Gibbon (*Nomascus siki*) is a primate species found only in the Annamite Mountains. It lives in family groups of three to five individuals composed of a yellow-furred mother, a black-furred father with bright white cheeks, and the young ones (their fur coloration changes several times before they reach adulthood). Gibbons are known for their characteristic beautiful and mesmerizing duet songs that members of the family produce every morning at dawn to reinforce their bond and inform neighboring groups of their territory. ›

The Large-antlered Muntjac (*Muntiacus vuquangensis*) is a species of deer that was only discovered by the scientific community in 1994. It owes its name to its particularly large antlers and larger body size compared to other muntjac species. The largest population is found in the Annamite Mountains of Laos.

If you travel to the Annamite Mountains, you should also be aware of the Saola (*Pseudoryx nghetinhensis*). The Saola is a bovid species, closely related to wild cattle, and is one of the most remarkable mammal discoveries of the twentieth century, first discovered by scientists in 1992 in the wet evergreen forests of the Annamite Mountains of Vietnam and Laos. Today, very few individuals remain in the wild.

Other species found nowhere else on earth is the Annamite Striped Rabbit (*Nesolagus timminsi*) or the Owston's Palm Civet (*Chrotogale owstoni*) both as unique and fascinating as all the others.

All of these species provide just a glimpse of the faunal diversity of the Annamite Mountains which many scientists and organizations have dedicated their efforts to protect for future generations. ■




#### MORE INFO

Learn more about Association Anoulak's conservation work in Laos: [conservationlaos.com](http://conservationlaos.com)

#### GETTING THERE

To book an ecotour to visit some of these, contact Phosy Thalang Guesthouse in Nakaifacebook.com/PhosyThalangGuesthouse



1. Entering the mountainous Nakai-Nam Theun National Park by boat, along the Nam Xot
2. Black Giant Squirrel (*Ratufa bicolor*)
3. White-cheeked Gibbon (*Nomascus siki*)
4. One of the few photographs of Saola (*Pseudoryx nghetinhensis*). Taken in the wild with a camera-trap in central Laos in 1999
5. Owston's Civet (*Chrotogale owstoni*) monitored as part of the conservation management strategy



**DISCOVERLAOS AND REDISCOVER YOURSELF TODAY**

ເພັດພອມການທ່ອງທ່ຽນແບບດິຈິຕອນທໍາອົດຂອງປະເທດລາວ  
TOP DEALS FOR TOURS, PACKAGES, HOTELS,  
AIR TICKETS, ACTIVITIES AND MORE!

ກົດຈະກຳທີ່ວົນ, ທີ່ພັກ, ບັນຍຸອືນນ ແລະ ດູພັກເກັດຕ່າງໆ  
ໃນລາຄາ ແລະ ຂໍສະເໜີທີ່ດີທີ່ສຸດ

**BCEL ONE PAY ENABLED AND  
OTHER MAJOR CREDIT CARDS.**

ຮອງຮັບການຊ້າລະເຖິງຜ່ານ BCEL One ແລະ ບັດເຄີດອື່ນງ

**LUANG PRABANG**  
ຫຼວງພະບາງ

**VANGVIENG**  
ວັງວຽງ

**XIENG KHOUANG**  
ຊົງຂວາງ

**NONG KHIEW**  
ນອນຂຽວ

**VIENTIANE**  
ວຽງຈັນ

**ATTAPUEU**  
ອັດຕະປີ

**KHAMMOUNE**  
ຄຳມວນ

**OUDOMXAY**  
ອຸດົມໄຊ

**SAYABOURY**  
ໄຊຍະບູລີ

**CHAMPSAK**  
ຈຳປາສັກ

**HOUAPHANH**  
ຫົວພັນ

**PAKSONG**  
ປາກຊູງ

**PHONSALY**  
ພິງສາລີ

**SAVANNAKET**  
ສະຫວັນນະເຂດ

**DiscoverLaos  
.TODAY**



**WWW.DISCOVERLAOS.TODAY**

**CONTROL YOUR DESTINY WITH OUR CLOUD BASED  
POS AND FOOD ORDERING SYSTEM.**

ກໍານົດໂຊກຊາດ ຂອງທຸລະກິດທ່ານດ້ວຍ ລະບົບ POS ເທິງຖານຂັ້ນ  
ຄລາວຂອງພອກເຮົາ ແລະ ລະບົບສ້າງອາຫານແບບດິຈິຕອນ.

**DEMO SYSTEM**

**SCAN TO TEST**




ສະແວນ ບິດສອບ

ACCEPT PAYMENT

ຊ້ອງທາງຊ້າລະເຖິງ





# ຄວາມມະຫັດສະຈັນ 29) ສາຍພູ້ວງ

ຄົ້ນພົບສັດປ່າທີ່ໜ້າອັດສະຈັນທີ່ສາມາດເຫັນໄດ້ໃນປະເທດລາວ

ແປ ແລະ ຮຽບຮຽນໂດຍ ວັນນະແສງ ອິນສານ  
ຮຽນໂດຍ ສະມາຄົມອະນຸລັກ / ອຸທິຍານແຫ່ງຊາດນາກາຍ-ນ້ຳເທິນ

ຂໍ້ມູນພື້ນເຕີມ  
ຮູ້ຮູ້ເພີ່ມເຕີມກ່ຽວກັບ  
ສະມາຄົມອະນຸລັກໃນລາວໄດ້ທີ່:  
[conservationlaos.com](http://conservationlaos.com)

ວິທີເດີນຫາງໝາຍ  
ທ່ານສາມາດຈາກຫົວໜ້າຫຼື່ວ່າ  
ແບບທຳມະຊາດ (ecotourism) ເພື່ອ  
ຂ້າໄປຫຼູກຂົມສະຖານທີ່ຫຼັງນັ້ນ  
ໄດ້ໂດຍການຕິດຕໍ່ຫ່າ  
[fb.com/PhosyThalangGuesthouse](https://facebook.com/PhosyThalangGuesthouse)

ສົງ

ຍາຍພູ້ວງ ທີ່ຢ່າງວຽດມາຈາກພາກເໜືອ  
ຂອງປະເທດຫວຽດນາມ ລັດລົງບໍໃບ  
ຕາມເຂດຊາຍແດນທີ່ຕິດກັບລາວ ແລ້ວ  
ແກ່ຍ່າວລົງໄປທາງພາກໃຕ້ອັນເປັນ  
ຊາຍແດນຕິດຕໍ່ກັນລະຫວ່າງລາວ, ຫວງດນາມ ແລະ  
ກຳປຸງຈະຍ ແມ່ນໜຶ່ງໃນຂົງເຂດທີ່ອຸດົມສົມບູນໄປດ້ວຍ  
ສັດ, ພິດ, ພູມສັນຖານ ແລະ ຄວາມຫຼາຍຫາງດ້ານ  
ວັດທະນະທ່າທີ່ສຸດໃນໄລກ. ສໍາລັບປະເທດລາວ, ສາຍ  
ພູ້ວງຕັ້ງຢູ່ຫຼາງທີ່ກິດຕາເວັນອອກຂອງແມ່ນ້ຳຂອງທີ່  
ລົບຕາມຊາຍແດນລາວ-ຫວຽດນາມນັ້ນຕັ້ງແຕ່ແຂວງ  
ບໍລິຄໍາໃຊຈາກຫາງພາກກາງ ລົງໄປຈົນເຖິງແຂວງ  
ອັດຕະປີທີ່ຢູ່ພາກໃຕ້ຂອງລາວ. ເຂດດັ່ງກ່າວຈະກວມ  
ເອົາພູມສັນຖານທີ່ແຕກຕ່າງກັນອອກໄປ ແລະ ເປັນທີ່  
ໜ້າປະຫັບໃຈໄດ້ແຕ່ຜ່ານຫົນບູນ, ພູມປ່າດົງ ແລະ ປ່າ  
ສົນອັນຂຸມເຢັນ.

ສາຍພູ້ວງ ມີຄວາມຫຼັາຫຼາຍເປັນພິເສດທາງ  
ດ້ານສາຍພັນສັດທີ່ບໍ່ມີຂອນອື່ນອີກໃນໄລກນີ້ ສາຍພັນ  
ຫຼັງນັ້ນ ແມ່ນຖື່ວ່າຍາກທີ່ຈະມີເຫັນດ້ານທຳມະຊາດ  
ປະຊາຊົນທົ່ວໄປຈົ່ງບໍ່ຕໍ່ອຍຮັບຮູ້ກ່ຽວກັບພວກມັນ  
ປານໄດ. ໃນຂະນະດູກວັນ, ສັດຫຼາຍນັ້ນມີຄວາມສູງ  
ສູງທີ່ຈະສູນພັນ; ແທົ່ງຈິງແລ້ວ, ຫຼາງສາຍພັນທີ່ມີ  
ເຫັນໃນສາຍພູ້ວງລົວແລວແຕ່ຖືກລ່າເລັວນຳ  
ອອກໄປຈາກປ່າຍ້ອນມັນເປັນທີ່ຕ້ອງການສູງໃນແວດ  
ວິການຄ້າສັດປ່າແບບຜິດກົດໝາຍທັງໃນລະດັບ  
ຊາດ ແລະ ສາກົນ, ຈຸດປະສົງແມ່ນເພື່ອພົງເອົາຂຶ້ນ  
ຮັດເປັນຢ້າພື້ນເມືອງ, ເປັນສັດລົງງົງ ເປັນສັນຍາລັກ

ລາງວັນເພື່ອສະແດງຄວາມຮັ້ງມີຂອງຕົນເອງ. ເພາະ  
ສະນັ້ນ, ບັນດາສິ່ງທີ່ມີອິວິດເຖິງນັ້ນສົມຄວນທີ່ຈະໄດ້ຮັບ  
ການເປົກປ້ອງເອົາໃຈໃສ່ໃນຄວາມງາມ ແລະ ຄຸນຄໍາ  
ທີ່ແຫຼ້ຈິງເຊິ່ງກໍ່ຕີ: ເປັນຕົວແທນໃຫ້ແກ່ມໍລະດົກທາງ  
ທຳມະຊາດຂອງປະເທດລາວເຕີມ.



ຄ່າງຫ້າສີ (Pygathrix nemaeus) ເປັນສາຍພັນ  
ລົງທີ່ເປັນທີ່ຮູ້ຈັກວ່າເປັນຫຼົງໃນສາຍພັນທີ່ສົວຍາມ  
ທີ່ສຸດໃນໄລກ ຍັນສິສັນອັນສົດໃສທີ່ເປັນເອກະລັກ.  
ສາຍພັນດັ່ງກ່າວຈະພົບເຫັນສະເພາະໃນເຂດພູ້ວງ  
ແລະ ຈຳນວນທີ່ພົບເຫັນຫຼາຍກ່າວ່າໝູ້ກໍ່ແມ່ນໃນປະເທດ  
ລາວ.

ທ່ານີແກ້ມຂາວ (Nomascus siki) ເປັນສາຍພັນ  
ພັນສັດລົງລູກດ້ວຍນິນທີ່ພົບເຫັນໄດ້ສະເພາະຢູ່ໃນ  
ເຂດສາຍພູ້ວງ. ມັນອ່າໄສແບບເປັນກ່ຽມຄອບຄົວຈຳ  
ນວນສາມຫາຫ້າໂຕເຊິ່ງຈະປະກອບດ້ວຍ ແມ່ນີ້ຂົນ  
ສີເຫຼືອງ, ພໍ່ນີ້ຂົນສິດຳກັບແກ້ມສີຂາວ ແລະ ບັນດາ  
ລູກອອນ (ສີຂົນຂອງພວກມັນຈະປ່ຽນແປງຫຼາຍງົງຕັ້ງ  
ກອນທີ່ພວກມັນຈະເຕີບໃຫຍ່ເຕັມໂຕ). ທະນີ ແມ່ນ  
ເປັນທີ່ຮູ້ຈັກວ່າມີໃນສູງຮອງປະເສານອັນສົວຍາມ  
ແລະ ອອນໂຍນຈັບໃຈທີ່ບັນດາສະມາຊີກຫອງຄອບຄົວ  
ທະນີ ຈະພາກັນບັນເລົງໃນທຸກໆເຊົ້າເພື່ອເສີມສ້າງ  
ຄວາມຜູກພັນຂອງພວກມັນເອງ ແລະ ປະກາດໃຫ້  
ບັນດາກຸມທະນີເພື່ອນບັນໃກ້ຄົງໃຫ້ຮູ້ວ່ານີ້ແມ່ນ  
ເຂດແດນຂອງພວກມັນ.

ເກົ່າຍັກພັນຫ້າຍ້າ (Muntiacus vuquangensis)  
ແມ່ນສາຍພັນກວາງຂະນິດໜຶ່ງທີ່ເອັນວ່າ ເກົ່າເຊິ່ງ  
ຫາກໍ່ໂຄກຄົນພົບໄດ້ຂຸມຊົນວິທະຍາສາດໃນປີ 1994.

ທາງດ້ານຊ້າຍ: ສະມາຊີກຄອບຄົວ  
ຂອງທ່ານີແກ້ມຂາວ

1. ນັ້າຕິກຕາດໃນປ່າດົງດີບຂອງ  
ຊຸຍິານແຫ່ງຊານາກາຍ-ນ້ຳເທິນ
2. ນິກເຫຼືອກສິນ້າຕານຄົ້ມຂາວ
3. ພັນເຂົ້າໃຫຍ່ໂຕແມ່ ແລະ ລູກ  
ໜ້າຫ້າຍ້າໃຫຍ່ແຂວງມັນ ດັ່ງຕີກ  
ຕິດຕາມກວດກາເຂົ້າເປັນສ່ວນໜຶ່ງ  
ຂອງຍຸດທະສາດການຄຸ້ມຄອງ



ຂໍຂອມນັ້ນແມ່ນໄດ້ມາຈາກຂະໜາດຂອງເຂົາ ແລະ  
ລໍາໂຕທີ່ໃຫຍ່ເນື້ອຫຼາຍໃສ່ກັບສາຍພັນ ຕັ້ງ ອື່ນງ. ຈຳ  
ນວນພົບເຫັນຫຼາຍທີ່ສຸດແມ່ນຢູ່ທີ່ສາຍພູ້ວງຂອງລາວ.

ຖ້າຫາກທ່ານມີແຜນທີ່ຈະເດີນຫາງໄປເຂດສາຍພູ້ວງ,  
ທ່ານກໍ່ຄວນຈະຮູ້ກ່ຽວກັບ ເລີ້ຫຼາ (Pseudoryx nghetinhensis). ເລີ້ຫຼາ ແມ່ນສາຍພັນວິວ ຕີ່ມີຄວາມໃກ້ຄົງກົງວົງວິປາ  
ແລະ ເປັນໜຶ່ງໃນການດັ່ນພົບເຫັນສັດລົງລູກດ້ວຍນິນນິນທີ່ໂດດ  
ເດັ່ນທີ່ສຸດຂອງສັດຕະວັດທີ 20, ເຊິ່ງໄດ້ຖືກຄົນພົບຄັ້ງທຳອິດ  
ໄດ້ນັກວິທະຍາສາດໃນປີ 1992 ໃນປ່າດົງດີບຂອງສາຍພູ້ວງຫວຽດນາມ ແລະ ລາວ. ໃນປະຈຸບັນ, ເຮົາຈະເຫັນໄດ້ວ່າມີ  
ຈຳນວນທີ່ຫຼົງເຫຼືອຢູ່ຕາມທຳມະຊາດຫ້ອຍຫຼາຍ.

ສາຍພັນອື່ນ້າທີ່ບໍ່ສາມາດພົບເຫັນໄດ້ໃນບ່ອນໄດ້ອິກໃນ  
ໄລກແມ່ນກະຕາຍລາຍເລືອ (Nesolagus timminsi) ຫຼື ເຫັນ  
ລາຍເລືອ (Chrotogale owstoni) ຂອງສາຍພູ້ວງທີ່ເປັນ  
ເອກະລັກ ແລະ ຫຼັກອັດສະຈັນໃຈບໍ່ນ້ອຍຫຼັກສາຍພັນອື່ນງ.

ບັນດາສາຍພັນທັງໝົດໃຫ້ເຫັນພົງແຕ່  
ສ່ວນໜຶ່ງຂອງຄວາມຫຼາຍຫາຍຂອງສັດປ່າໃນສາຍພູ້ວງທີ່  
ບັນດານັກວິທະຍາສາດ ແລະ ອິການຈັດຕັ້ງຕ່າງໆໄດ້ອຸທິດ  
ຄວາມພະຍາຍາມຂອງພວກເຂົາໃນການເປົກປ້ອງໄວ້ເພື່ອໃຫ້  
ຄົນລຸ້ນຫຼັງໄດ້ຮູ້ນັ້ນ. ■