



CLOUDED LEOPARD


ECOLOGY

Distribution & Range: Bangladesh, Bhutan, Cambodia, China, India, Lau PDR, Malaysia, Myanmar, Nepal, and Thailand

Habitat: Primary evergreen tropical, deciduous, and secondary forests, as well as grasslands, scrub, and mangrove swamps

Diet: Carnivorous; eat birds and small mammals, including primates

DISTRIBUTION



CLASS Mammalia

ORDER Carnivora

FAMILY Felidae

GENUS Neofelis

SPECIES *nebulosa*

CONSERVATION

Conservation status:

Vulnerable

Major Threats: Illegal trade-driven hunting with snare traps, and habitat loss

Conservation Action:

Research and monitoring, and habitat protection



Species Protection Status in Laos: Prohibition Category 1*

**Protection Category 1: Rare, near extinct, high-value species of special importance in the development of social-economic, environmental, educational scientific research. It is prohibited to hunt this species anywhere and at any time in Laos*

ACTIVITY & SOCIAL TRAITS

Social Structure: Solitary

Activity: Are both nocturnal and crepuscular, as well as arboreal and terrestrial

Reproduction: Breeding season is December to March

Gestation: 87-99 days

Number of offspring: 1-5

PHYSICAL TRAITS

Family: Felidae: carnivorous "cats"


Weight: 11-18 kg

Appearance: Grayish-gold fur with black spots and blotches, short limbs, and a long tail

FUN FACT

Clouded leopards contain the **hyoid bone** which allows them to **purr and chuff**, but they cannot roar like large cats. They are also some of the **best tree-climbers** in the cat family






ເສືອລາຍເມກ (ເສືອຕະກູດ)

ນິເວດວິທະຍາ

ພື້ນທີ່ອາໄສ: ບັງກະລາເດດ, ພູຖານ, ກຳປູເຈຍ, ຈີນ, ອິນເດຍ, ລາວ, ມາເລເຊຍ, ມຽນມາ, ເນປານ ແລະ ໄທ
ແຫຼ່ງທີ່ຢູ່ອາໄສ: ປ່າດົງດິບຊຸ່ມເຂດຮ້ອນ, ປ່າໃບພັດ, ປ່າຊັ້ນສອງ, ທົ່ງຫຍ້າ, ປ່າພຸ່ມ ແລະ ປ່າຊາຍເລນ; ມັກຢູ່ທັງເທິງຕົ້ນໄມ້ ແລະ ໜ້າດິນ.
ການກິນອາຫານ: ກິນຊີ້ນເປັນອາຫານ; ກິນນົກ ແລະ ສັດລ້ຽງລູກດ້ວຍນ້ຳນົມຂະໜາດນ້ອຍ ລວມທັງສັດຕະກຸນລິງ (ໄພຣເມດ) ນຳອີກ

ພື້ນທີ່ອາໄສ



- ຊັ້ນ Mammalia
- ອັນດັບ Carnivora
- ຕະກຸນ Felidae
- ສະກຸນ Neofelis
- ຊະນິດ *nebulosa*

ການອະນຸລັກ

ສະຖານະພາບການອະນຸລັກ:
ມີຄວາມສ່ຽງໃກ້ສູນພັນ
ໄພຂົ່ມຂູ່ຕົ້ນຕໍ: ການລັກລອບລ່າສັດປ່າໂດຍການໃສ່ແຮ້ວ ທີ່ຂັບເຂື່ອນດ້ວຍການຊີ້ຊາຍ ຜິດກົດໝາຍ ແລະ ການສູນເສຍແຫຼ່ງທີ່ຢູ່ອາໄສ
ການປະຕິບັດການອະນຸລັກ: ການຄົ້ນຄວ້າ ແລະ ການຕິດຕາມ, ແລະ ການປົກປັກຮັກສາແຫຼ່ງທີ່ຢູ່ອາໄສ



ສະພາບການປົກປັກຮັກສາພັນສັດປ່າໃນລາວ: ປະເພດຫວງທ້າມ I*

ປະເພດຄຸ້ມຄອງ I: ຊະນິດພັນທີ່ຫາຍາກ, ໃກ້ສູນພັນ, ແລະ ມີມູນຄ່າສູງ ເຊິ່ງມີຄວາມສຳຄັນພິເສດຕໍ່ການພັດທະນາເສດຖະກິດ-ສັງຄົມ, ສິ່ງແວດລ້ອມ, ການສຶກສາຄົ້ນຄວ້າວິທະຍາສາດ. ຫ້າມບໍ່ໃຫ້ມີການລ່າສັດຊະນິດນີ້ຕາມອຳເພີໃຈໃນລາວ

ພຶດຕິກຳ ແລະ ລັກສະນະທາງສັງຄົມ

ໂຄງສ້າງທາງສັງຄົມ: ມັກຢູ່ແບບໂດດດ່ຽວ
ພຶດຕິກຳ: ອອກຫາກິນໃນຍາມກາງຄືນ ແລະ ຊ່ວງຄ້າຍແລງ
ການສືບພັນ: ລະດູປະສົມພັນຂອງເສືອລາຍເມກແມ່ນຊ່ວງເດືອນທັນວາ ເຖິງ ມີນາ
ການຖືພາ: 87-99 ວັນ
ຈຳນວນລູກ: 1-5 ໂຕ

ລັກສະນະທາງກາຍະພາບ

ຕະກຸນ: Felidae, ສັດຕະກຸນ "ແມວ"
ທີ່ກິນຊີ້ນເປັນອາຫານ
ນ້ຳໜັກ: 11-18 ກລ
ລັກສະນະ: ມີຂົນສີທອງປົນເທົາ, ມີລາຍສີດຳເປັນຈຸດ, ແຂນຂາສັ້ນ ແລະ ຫາງຍາວ

ສິ່ງທີ່ຄວນຮູ້

ເສືອລາຍເມກມີກະດູກໄຮອອຍ ເຊິ່ງຊ່ວຍໃຫ້ພວກມັນສາມາດສັ່ງສຽງຄາງຄີແມວໄດ້, ແຕ່ພວກມັນບໍ່ສາມາດຮ້ອງແຜດສຽງໄດ້ຄືສັດຕະກຸນແມວໃຫຍ່. ພວກມັນຍັງເປັນນັກປີ້ນຕົ້ນໄມ້ທີ່ເກັ່ງທີ່ສຸດໃນສັດຕະກຸນແມວນຳອີກ

